Dear Dr. Henney.

I am writing to express my concern over the FDA's regulation of genetically engineered (GE) food. I request that the agency current policies be changed, and I support all the points in docket #00P-1211\CP1

All GE foods should be labeled so I am informed and have a choice.

GE foods should not be assumed to be "generally recognized as safe" and should have mandatory pre-market safety testing to determine the long-term impacts to human health and the environment.

(Additional Personal Comments:)

GAdditional Personal Comments:)

FDA Dockets Management Branch (HFA-305)

5630 Fishers Lane, Room 1061

Rockville MD 20852

Above to Management Branch (HFA-305)

5630 Fishers Lane, Room 1061

Rockville MD 20852

FOOD SAFETY

City, State, Zip foot Washington, NY 1/200

Signature

SUBJECT OF MANAGEM (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY)

**THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOOD SAFETY (ACCOUNT OF THE CENTER FOR FOO

00P-1211

C 6207